



CONCERIA CADORE

HAWAII

Hawaii is a natural grain bovine leather colour-dyed through. It's just slightly finished to keep a natural look and it's very nice to the touch. It also features a beautiful vintage effect. Final look is semi-glossy on the tips and the surface is velvety and soft.

Details

Thickness	1,3 - 1,5 mm
Leather type	Corrected grain
Raw material	Extra-European
Tannage	Chrome tannage
Dyeing	Aniline-dyed through
Finishing	Aniline

Technical Characteristics *

Property	Performance	Test Method
Dry rub fastness	50 cycles val. $\geq 3/4$ Gray Scale	UNI EN ISO 11640
Wet rub fastness	10 cycles val. ≥ 3 Gray Scale	UNI EN ISO 11640
Alcaline perspiration rub fastness	5 cycles val. ≥ 3 Gray Scale	UNI EN ISO 11640

Physical Characteristics *

Property	Performance	Test Method
Adhesion of finishing	≥ 2 N/10mm	UNI EN ISO 11644
Tear resistance	≥ 20 N	UNI EN ISO 3377-1
Flex resistance	20.000 cycles no damage	UNI EN ISO 5402
Flammability resistance	Pass	TB117-2013

Chemicals Characteristics *

Property	Performance	Test Method
pH determination and difference figure (Δ pH)	$\text{pH} \geq 3,2 / \Delta \text{pH} \leq 0,7$	UNI EN ISO 4045
Azo-dyes (Directive 2002/61/CE)	Absents (< 30 ppm)	UNI CEN ISO/TS 17234
Pentachlorophenol content	< 5 ppm	UNI EN ISO 17070
Exavalent Chromium content	< 3 ppm	UNI EN ISO 17075
Formaldehyde content	< 75 ppm	UNI CEN ISO/TS 17226
Lead content in finish	≤ 90 ppm	CPSC-CH-E1003-09.1
Cadmium content finish	≤ 75 ppm	CPSC-CH-E1003-09.1

* Tests are performed on intact leather not manipulated.

Our leather standards comply with the requirements of REACH Regulation.

Cleaning and Maintenance

Remove dust with a soft and dry cloth for regular cleaning.

Don't rub and never use abrasive or aggressive products like solvents, stain removers, etc.

We recommend to avoid the exposure to direct sun and direct heat.

CONCERIA CADORE S.R.L. Via del Lavoro 23 - 36071 Arzignano (VI) - ITALY

Tel. +39 0444 450655 - Fax +39 0444 676223

www.conceriacadore.it